

What is claimed is:

1. An isolated polynucleotide comprising a member selected from the group consisting of:
 - (a) a polynucleotide having at least a 70% identity to a polynucleotide encoding a polypeptide comprising amino acids 1 to 256 of SEQ ID NO:2;
 - (b) a polynucleotide which is complementary to the polynucleotide of (a); and
 - (c) a polynucleotide comprising at least 15 bases of the polynucleotide of (a) or (b).
2. The polynucleotide of Claim 1 wherein the polynucleotide is DNA.
3. The polynucleotide of Claim 1 wherein the polynucleotide is RNA.
4. The polynucleotide of Claim 2 comprising nucleotide 1 to 771 set forth in SEQ ID NO:1.
5. The polynucleotide of Claim 2 comprising nucleotide encoding the amino acid sequence set forth in SEQ ID NO:2.
6. The polynucleotide of Claim 2 which encodes a polypeptide comprising amino acid 1 to 256 of SEQ ID NO:2.
7. An isolated polynucleotide comprising a member selected from the group consisting of:
 - (a) a polynucleotide having at least a 70% identity to a polynucleotide encoding the same mature polypeptide expressed by the cDNA contained in NCIMB Deposit No.40771;
 - (b) a polynucleotide complementary to the polynucleotide of (a); and
 - (c) a polynucleotide comprising at least 15 bases of the polynucleotide of (a) or (b).
8. A vector comprising the DNA of Claim 2.
9. A host cell comprising the vector of Claim 8.
10. A process for producing a polypeptide comprising: expressing from the host cell of Claim 9 a polypeptide encoded by said DNA.
11. A process for producing a cell which expresses a polypeptide comprising transforming or transfecting the cell with the vector of Claim 8 such that the cell expresses the polypeptide encoded by the cDNA contained in the vector.
12. A polypeptide comprising an amino acid sequence which is at least 70% identical to amino acid 1 to 256 of SEQ ID NO:2.
13. A polypeptide comprising an amino acid sequence as set forth in SEQ ID NO:2.
14. 16. An antibody against the polypeptide of Claim 12.

- 15
17. An antagonist which inhibits the activity of the polypeptide of Claim 12.
- 16
18. A method for the treatment of an individual having need of FAB I comprising: administering to the individual a therapeutically effective amount of the polypeptide of Claim 12.
- 5 17
19. The method of Claim 17 wherein said therapeutically effective amount of the polypeptide is administered by providing to the individual DNA encoding said polypeptide and expressing said polypeptide in vivo.
- 18
20. A method for the treatment of an individual having need to inhibit FAB I polypeptide comprising: administering to the individual a therapeutically effective amount of the antagonist of Claim 16.
- 10 19
21. A process for diagnosing a disease related to expression of the polypeptide of Claim 12 comprising:
determining a nucleic acid sequence encoding said polypeptide.
- 20 22. A diagnostic process comprising:
15 analyzing for the presence of the polypeptide of Claim 12 in a sample derived from a host.
- 21
23. A method for identifying compounds which bind to and inhibit an activity of the polypeptide of Claim 12 comprising:
contacting a cell expressing on the surface thereof a binding for the polypeptide, said
20 binding being associated with a second component capable of providing a detectable signal in response to the binding of a compound to said binding, with a compound to be screened under conditions to permit binding to the binding; and
determining whether the compound binds to and activates or inhibits the binding by detecting the presence or absence of a signal generated from the interaction of the compound
25 with the binding.
- 22
24. A method for inducing an immunological response in a mammal which comprises inoculating the mammal with FAB I, or a fragment or variant thereof, adequate to produce antibody to protect said animal from infection by a staphylococcus.
- 23
25. A method of inducing immunological response in a mammal which
30 comprises, through gene therapy, delivering gene encoding FAB I fragment or a variant thereof, for expressing FAB I, or a fragment or a variant thereof in vivo in order to induce an immunological response to produce antibody to protect said animal from disease.
- 24
26. An immunological composition which, when introduced into a mammalian host, induces an immunological response in that mammal to a given FAB I polynucleotide

or protein coded therefrom, wherein the composition comprises a recombinant FAB I polynucleotide or protein coded therefrom comprising DNA which codes for and expresses an antigen of said FAB I polynucleotide or protein coded therefrom.

add
B'

add
E3